

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubber car gel

Creation date 14. March 2019
Revision date Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture Rubber car gel
Number 000096310D
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use Maintenance product
- The use descriptors**
C Consumer use
- Mixture uses advised against The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
- Supplier**
Name or trade name ŠKODA AUTO a.s.
Address tř. Václava Klementa 869, Mladá Boleslav II, 293 01
Czech Republic
VAT Reg No CZ00177041
Phone +420 326 811 111
E-mail msds@skoda-auto.cz
Web address www.skoda-auto.cz
- Competent person responsible for the safety data sheet**
Name Ing. Tadeáš Narovec
E-mail tadeas.narovec@skoda-auto.cz
- 1.4. Emergency telephone number**
National Health Service (NHS) 111
National poisoning information centre Scotland, NHS 24: 111

SECTION 2: Hazards identification

- 2.1. Substance or mixture classification**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.

Flam. Liq. 3, H226

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Flammable liquid and vapour.

- 2.2. Label elements**
Hazard pictogram



Signal word
Warning

Hazard statements

H226 Flammable liquid and vapour.

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P501 Dispose of contents/container to be handed over to the person authorized to dispose of waste or by returning to the supplier.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubber car gel

Creation date 14. March 2019
Revision date Version 1.0

Supplemental information

EUH 208 Contains 2-methyl-2,3-dihydro-1,2-thiazol-3-one. May produce an allergic reaction.

2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 Registration number: 01-2119457610-43	ethanol	10-25	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 50 %	1
CAS: 2682-20-4 EC: 220-239-6 Registration number: 01-2120764690-50	2-methyl-2,3-dihydro-1,2-thiazol-3-one	<0,0015	Acute Tox. 3, H301+H311 Skin Corr. 1B, H314 Skin Sens. 1A, H317 Acute Tox. 2, H330 Aquatic Acute 1, H400, M=10 Aquatic Chronic 1, H410, M=1 Specific concentration limit: Skin Sens. 1A, H317: C ≥ 0,0015 %	

Notes

1 Substance for which exposure limits of Community for working environment exist.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

Inhalation

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

Skin contact

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water/shower.

Eye contact

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

Ingestion

DO NOT INDUCE VOMITING - even the induced vomiting can cause complications as in case of detergents and other foaming substances.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubber car gel

Creation date 14. March 2019
Revision date Version 1.0

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Not expected.

Skin contact

Not expected.

Eye contact

Not expected.

Ingestion

Not expected.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubber car gel

Creation date 14. March 2019
Revision date Version 1.0

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. No smoking. Use only non-sparking tools. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take precautionary measures against static discharge.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep container tightly closed. Keep cool.

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom of Great Britain and Northern Ireland

Substance name (component)	Type	Time of exposure	Value	Note	Source
ethanol (CAS: 64-17-5)	WEL	8 hours	1920 mg/m ³		Gestis
	WEL	8 hours	1000 ppm		

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	liquid
Physical state	liquid at 20°C
color	colourless
Odour	containing alcohol
Odour threshold	data not available
pH	7.7 (undiluted at 20 °C)
Melting point/freezing point	data not available
Initial boiling point and boiling range	>75 °C
Flash point	27 °C
Evaporation rate	data not available
Flammability (solid, gas)	Flammable liquid and vapour.
Upper/lower flammability or explosive limits	
flammability limits	data not available
explosive limits	data not available

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubber car gel

Creation date	14. March 2019	Version	1.0
Revision date			
Vapour pressure		data not available	
Vapour density		data not available	
Relative density		data not available	
Solubility(ies)			
solubility in water		miscible	
solubility in fats		data not available	
Partition coefficient: n-octanol/water		data not available	
Auto-ignition temperature		data not available	
Decomposition temperature		data not available	
Viscosity		data not available	
Explosive properties		The product does not have explosive properties but can be explosive when blended with air.	
Oxidising properties		data not available	
9.2. Other information			
Density		1.02 g/cm ³ at 20 °C	
ignition temperature		data not available	

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

2-methyl-2,3-dihydro-1,2-thiazol-3-one

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Oral	LD ₅₀		120 mg/kg		Rat (Rattus norvegicus)	
Inhalation (dust/mist)	LC ₅₀	OECD 403	0.11 mg/l	4 hour	Rat (Rattus norvegicus)	
Dermal	LD ₅₀	OECD 402	242 mg/kg		Rat (Rattus norvegicus)	

ethanol

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Inhalation (vapor)	LC ₅₀		124.7 mg/l	4 hour	Rat	
Oral	LD Lo		7000 mg/kg bw		Rat	
Inhalation (vapor)	LC ₅₀		116.9 mg/l	4 hour	Rat	
Inhalation (vapor)	LC ₅₀		133.8 mg/l	4 hour	Rat	

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubber car gel

Creation date 14. March 2019
Revision date Version 1.0

Skin corrosion/irritation

Based on available data the classification criteria are not met.

2-methyl-2,3-dihydro-1,2-thiazol-3-one

Route of exposure	Result	Time of exposure	Species
Dermal	Caustic		

Serious eye damage/irritation

Based on available data the classification criteria are not met.

2-methyl-2,3-dihydro-1,2-thiazol-3-one

Route of exposure	Result	Time of exposure	Species
	Serious eye damage		

ethanol

Route of exposure	Result	Time of exposure	Species
	Irritating		Rabbit

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

2-methyl-2,3-dihydro-1,2-thiazol-3-one

Route of exposure	Result	Time of exposure	Species	Sex
Dermal	Sensitizing			

Germ cell mutagenicity

Based on available data the classification criteria are not met.

2-methyl-2,3-dihydro-1,2-thiazol-3-one

Result	Method	Time of exposure	Specific target organ	Species	Sex
Negative	in vitro				
Negative	OECD 486			Rat (Rattus norvegicus)	

Carcinogenicity

Based on available data the classification criteria are not met.

2-methyl-2,3-dihydro-1,2-thiazol-3-one

Route of exposure	Parameter	Method	Value	Specific target organ	Result	Species	Sex
Oral		OECD 416			Negative	Rat (Rattus norvegicus)	
Oral		OECD 414		Fetus	Negative	Rat (Rattus norvegicus)	

ethanol

Route of exposure	Parameter	Method	Value	Specific target organ	Result	Species	Sex
Oral					Indeterminate	Rat	

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubber car gel

Creation date 14. March 2019
Revision date Version 1.0

Reproductive toxicity

Based on available data the classification criteria are not met.

ethanol

	Parameter	Value	Result	Species	Sex
Effects on fertility	NOAEL	>16000 ppm	No effect	Rat	
	NOAEL	5200 mg/kg/24hour	Indeterminate	Rat	

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

ethanol

Route of exposure	Parameter	Value	Time of exposure	Specific target organ	Result	Species	Sex
Inhalation	LOAEL	2.6 mg/l	30 min	Nervous system	Drowsiness, Dizziness	Human	
Inhalation	LOAEL	9.4 mg/l		Lungs	Indeterminate	Human	

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

2-methyl-2,3-dihydro-1,2-thiazol-3-one

Parameter	Value	Time of exposure	Species	Environment	Determining method
LC ₅₀	4.77-6 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	Freshwater	
EC ₅₀	0.93-1.9 mg/l	48 hour	Daphnia (Daphnia magna)	Freshwater	
ErC ₅₀	0.0695 mg/l	24 hour	Algae (Skeletonema costatum)	Salt water	

ethanol

Parameter	Value	Time of exposure	Species	Environment	Determining method
EC 0	3.9 g/l	200 hour	Fishes		Experimentally
EC ₅₀	>10000 mg/l	24 hour	Daphnia		Experimentally
EC ₅₀	8800 mg/l	96 hour	Algae		Experimentally

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubber car gel

Creation date 14. March 2019
Revision date Version 1.0

Chronic toxicity

2-methyl-2,3-dihydro-1,2-thiazol-3-one

Parameter	Value	Time of exposure	Species	Environment	Determining method
NOEC	2.1 mg/ml	33 day	Fishes (Pimephales promelas)		
NOEC	0.04 mg/kg	21 day	Daphnia (Daphnia magna)	Freshwater	

ethanol

Parameter	Value	Time of exposure	Species	Environment	Determining method
LC ₅₀	9248 mg/l	48 hour	Invertebrates		Experimentally
NOEC	250 mg/l	120 hour	Fishes (Oncorhynchus mykiss)		Experimentally
NOEC	1000 mg/l	120 hour	Fishes		Experimentally

More information

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted or in large quantities to enter groundwater, catchment area or sewage system.

12.2. Persistence and degradability

Biodegradability

2-methyl-2,3-dihydro-1,2-thiazol-3-one

Parameter	Value	Time of exposure	Environment	Result
				Hardly biodegradable

The mixture is biodegradable.

12.3. Bioaccumulative potential

2-methyl-2,3-dihydro-1,2-thiazol-3-one

Parameter	Value	Time of exposure	Species	Environment	Surrounding temperature [°C]
Log Pow	-0.34				

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubber car gel

Creation date 14. March 2019
Revision date Version 1.0

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 03 05 organic wastes containing dangerous substances

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1. UN number

UN 1170

14.2. UN proper shipping name

ETHANOL SOLUTION

14.3. Transport hazard class(es)

3 Flammable liquids

14.4. Packing group

III - substances presenting low danger

14.5. Environmental hazards

not available

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not available

Additional information

Hazard identification No.

30

(Kemler Code)

UN number

1170

Classification code

F1

Safety signs

3



Air transport - ICAO/IATA

Packaging instructions passenger 355

Cargo packaging instructions 366

Marine transport - IMDG

EmS (emergency plan) F-E, S-D

MFAG 305

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended.

15.2. Chemical safety assessment

not available

SECTION 16: Other information

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubber car gel

Creation date 14. March 2019
Revision date Version 1.0

A list of standard risk phrases used in the safety data sheet

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H301+H311	Toxic if swallowed or in contact with skin.

Guidelines for safe handling used in the safety data sheet

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.
P101	If medical advice is needed, have product container or label at hand.

A list of additional standard phrases used in the safety data sheet

EUH 071	Corrosive to the respiratory tract.
EUH 208	Contains 2-methyl-2,3-dihydro-1,2-thiazol-3-one. May produce an allergic reaction.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC ₅₀	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log Kow	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Rubber car gel

Creation date	14. March 2019	Version	1.0
Revision date			

PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative

Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitization

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. First aid principles after the exposure to the chemicals (Zásady pro poskytování první pomoci při expozici chemickým látkám, doc. MUDr. Daniela Pelclová, CSc., MUDr. Alexandr Fuchs, CSc., MUDr. Miroslava Hornychová, CSc., MUDr. Zdeňka Trávníčková, CSc., Jiřina Fridrichovská, prom. chem.). Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.