1		SAFETY D	ATA SHEET 🔬 ŠKODA
	accordin	g to Regulation (EC) No	o 1907/2006 (REACH) as amended
	S	creen wash ad	lditive -Winter 1L
		irch 2019	
	on date	<u> </u>	Version 1.0
		ubstance/mixture and	d of the company/undertaking
1.1.	Product identifier		Screen wash additive -Winter 1L
	Substance / mixture		mixture
	Number		000096311F
1.2.	Mixture's intended use	the substance or mix	cture and uses advised against Cleaning agent.
	The use descriptors		
	C Co	onsumer use	
	Mixture uses advised against		The product should not be used in ways other then tho referred in Section 1.
1.3.	Details of the supplier of th Supplier	e safety data sheet	
	Name or trade name		ŠKODA AUTO a.s.
	Address		tř. Václava Klementa 869, Mladá Boleslav II, 293 01
			Czech Republic
	VAT Reg No		CZ00177041
	Phone		+420 326 811 111
	E-mail		msds@skoda-auto.cz
	Web address		www.skoda-auto.cz
	Competent person respons	ible for the safety dat	
	Name	bie for the burety un	Ing. Tadeáš Narovec
	E-mail		tadeas.narovec@skoda-auto.cz
1.4.	Emergency telephone numl National Health Service (NHS) National poisoning information	111	24: 111
2.1.	The mixture is classified as da Flam. Liq. 2, H225	e in accordance with	Regulation (EC) No 1272/2008
	Eye Irrit. 2, H319		
			- citizen in the continue 10
	Full text of all classifications a		s given in the section 16.
	Full text of all classifications an Most serious adverse physi Highly flammable liquid and va Most serious adverse effect Causes serious eye irritation.	co-chemical effects apour. ts on human health a	nd the environment
2.2.	Most serious adverse physi Highly flammable liquid and va Most serious adverse effect	co-chemical effects apour. ts on human health a	nd the environment
2.2.	Most serious adverse physi Highly flammable liquid and va Most serious adverse effect Causes serious eye irritation. I Label elements	co-chemical effects apour. ts on human health a	nd the environment
2.2.	Most serious adverse physi Highly flammable liquid and va Most serious adverse effect Causes serious eye irritation. I Label elements	co-chemical effects apour. ts on human health a	nd the environment
2.2.	Most serious adverse physi Highly flammable liquid and va Most serious adverse effect Causes serious eye irritation. I Label elements Hazard pictogram Signal word Danger Hazard statements	co-chemical effects apour. ts on human health a Harmful to aquatic life v	nd the environment with long lasting effects.
2.2.	Most serious adverse physi Highly flammable liquid and va Most serious adverse effect Causes serious eye irritation. If Label elements Hazard pictogram Signal word Danger Hazard statements H225 Highly f	i co-chemical effects apour. ts on human health a Harmful to aquatic life v lammable liquid and vap	nd the environment with long lasting effects.
2.2.	Most serious adverse physi Highly flammable liquid and va Most serious adverse effect Causes serious eye irritation. If Label elements Hazard pictogram Signal word Danger Hazard statements H225 Highly fl H319 Causes	co-chemical effects apour. ts on human health a Harmful to aquatic life v	nd the environment with long lasting effects.
2.2.	Most serious adverse physi Highly flammable liquid and va Most serious adverse effect Causes serious eye irritation. If Label elements Hazard pictogram Signal word Danger Hazard statements H225 Highly fl H319 Causes	i co-chemical effects apour. ts on human health a Harmful to aquatic life v lammable liquid and vap serious eye irritation.	nd the environment with long lasting effects.
2.2.	Most serious adverse physi Highly flammable liquid and va Most serious adverse effect Causes serious eye irritation. If Label elements Hazard pictogram Signal word Danger Hazard statements H225 Highly fl H319 Causes F Precautionary statements P101 If medic	i co-chemical effects apour. ts on human health a Harmful to aquatic life v lammable liquid and vap serious eye irritation.	nd the environment with long lasting effects.

SAFETY DATA SHEET ŠKODA according to Regulation (EC) No 1907/2006 (REACH) as amended Screen wash additive -Winter 1L Creation date 11. March 2019 Revision date Version 1.0 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier. Requirements for child-resistant fastenings and tactile warning of danger Container must carry a tactile warning of danger. 2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 Registration number: 01-2119457610-43	ethyl alcohol		Flam. Liq. 2, H225 Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2, H319: $C \ge 50 \%$	1

Notes

1 Substance for which exposure limits of Community for working environment exist.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

Inhalation

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

Skin contact

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water/shower.

Eye contact

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.


Ingestion

DO NOT INDUCE VOMITING! Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Not expected. Skin contact Not expected. Eye contact Causes serious eye irritation. Ingestion

Irritation, nausea.



Screen wash additive -Winter 1L

Creation date Revision date 11. March 2019

Version

1.0

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Highly flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Prevent contact with skin and eyes. No smoking. Use only non-sparking tools. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take precautionary measures against static discharge. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep container tightly closed. Keep cool.

The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters





according to Regulation (EC) No 1907/2006 (REACH) as amended

Screen wash additive -Winter 1L

Creation date Revision date

11. March 2019

Version

1.0

United Kingdom of Great Britain and Northern Ireland

Substance name (component)	Туре	Time of exposure	Value	Note	Source	
ethyl alcohol (CAS: 64-17-5)	WEL	8 hours	1920 mg/m ³		Costic	
	WEL	8 hours	1000 ppm		Gestis	

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours in the poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

-		
	Appearance	liquid
	Physical state	liquid at 20°C
	color	blue
	Odour	characteristic
	Odour threshold	data not available
	pH	9.3 (undiluted)
	Melting point/freezing point	data not available
	Initial boiling point and boiling range	>80 °C
	Flash point	22 °C
	Evaporation rate	data not available
	Flammability (solid, gas)	Highly flammable liquid and vapour.
	Upper/lower flammability or explosive limits	
	flammability limits	data not available
	explosive limits	data not available
	Vapour pressure	data not available
	Vapour density	data not available
	Relative density	data not available
	Solubility(ies)	
	solubility in water	miscible
	solubility in fats	data not available
	Partition coefficient: n-octanol/water	data not available
	Auto-ignition temperature	data not available
	Decomposition temperature	data not available
	Viscosity	data not available
	Explosive properties	The product does not have explosive properties but can be explosive when blended with air.
	Oxidising properties data not available	data not available
	Other information	
	Density	0.92 g/cm ³
	ignition temperature	data not available
	none	

9.2.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Screen wash additive -Winter 1L Creation date 11. March 2019 1.0 Revision date Version **SECTION 10: Stability and reactivity** 10.1. Reactivity not available 10.2. Chemical stability The product is stable under normal conditions. 10.3. Possibility of hazardous reactions Unknown. 10.4. Conditions to avoid The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost. 10.5. Incompatible materials Protect against strong acids, bases and oxidizing agents. 10.6. Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

ethyl alcohol

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Inhalation (vapor)	LC50	124.7 mg/l	4 hour	Rat	
Oral	LD Lo	7000 mg/kg bw		Rat	
Inhalation (vapor)	LC50	116.9 mg/l	4 hour	Rat	
Inhalation (vapor)	LC50	133.8 mg/l	4 hour	Rat	

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

ethyl alcohol

Route of exposure	Result	Time of exposure	Species
	Irritating		Rabbit

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

ethyl alcohol

Route of exposure	Parameter	Value	Result	Species	Sex
Oral			Indeterminate	Rat	



according to Regulation (EC) No 1907/2006 (REACH) as amended

Screen wash additive -Winter 1L

Creation date Revision date 11. March 2019

Version

1.0

Reproductive toxicity

Based on available data the classification criteria are not met.

ethyl alcohol

	Parameter	Value	Result	Species	Sex
Effects on fertility	NOAEL	>16000 ppm	No effect	Rat	
	NOAEL	5200 mg/kg/24hour	Indeterminate	Rat	

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

ethyl alcohol

Route of exposure	Parameter	Value	Time of exposure	Specific target organ	Result	Species	Sex
Inhalation	LOAEL	2.6 mg/l	30 min	Nervous system	Drowsiness, Dizziness	Human	
Inhalation	LOAEL	9.4 mg/l		Lungs	Indeterminate	Human	

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Harmful to aquatic life with long lasting effects.

ethyl alcohol	ethyl alcohol						
Parameter	Value	Time of exposure	Species	Environment	Determining method		
EC 0	3.9 g/l	200 hour	Fishes		Experimentally		
EC50	>10000 mg/l	24 hour	Daphnia		Experimentally		
EC50	8800 mg/l	96 hour	Algae		Experimentally		

Chronic toxicity

ethyl alcohol

Parameter	Value	Time of exposure	Species	Environment	Determining method
LC50	9248 mg/l	48 hour	Invertebrates		Experimentally
NOEC	250 mg/l	120 hour	Fishes (Oncorhynchus mykiss)		Experimentally
NOEC	1000 mg/l	120 hour	Fishes		Experimentally

More information

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted or in large quantities to enter groundwater, catchment area or sewage system.

12.2. Persistence and degradability

Data not available.

12.3. Bioaccumulative potential

Not available.



according to Regulation (EC) No 1907/2006 (REACH) as amended

Screen wash additive -Winter 1L

Creation date Revision date 11. March 2019

Version

1.0

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

20 01 29 detergents containing dangerous substances

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

- 14.1. UN number
- UN 1170
- **14.2.** UN proper shipping name ETHANOL
- **14.3.** Transport hazard class(es) 3 Flammable liquids

14.4. Packing group


II - substances presenting medium danger

- 14.5. Environmental hazards
- not available 14.6. Special precautions for user
 - Reference in the Sections 4 to 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code not available

Additional information

Hazard identification No. UN number Classification code Safety signs





according to Regulation (EC) No 1907/2006 (REACH) as amended

Screen wash additive -Winter 1L

Creation date	11. March 2019			
Revision date		Version	1.0	
Air transport	- ICAO/IATA			
Packaging	instructions passenger	353		
Cargo pac	kaging instructions	364		
Marine trans	oort - IMDG			
EmS (eme	ergency plan)	F-E, S-D		
MFAG		305		
Marine Po	llutant	No		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

not available

SECTION 16: Other information

in 10. Other million	nation
A list of standard i	risk phrases used in the safety data sheet
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
Guidelines for safe	e handling used in the safety data sheet
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Other important in	formation about human health protection
•	ot be - unless specifically approved by the manufacturer/importer - used for purposes other than . The user is responsible for adherence to all related health protection regulations.
Key to abbreviatio	ns and acronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC50	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC50	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry



according to Regulation (EC) No 1907/2006 (REACH) as amended

Screen wash additive -Winter 1L

Screen wash additive -winter IL	
Creation date	11. March 2019
Revision date	Version 1.0
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD 5 0	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log Kow	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Evo Innit	Evo instation

Eye Irrit.Eye irritationFlam. Liq.Flammable liquid

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. First aid principles after the exposure to the chemicals (Zásady pro poskytování první pomoci při expozici chemickým látkám, doc. MUDr. Daniela Pelclová, CSc., MUDr. Alexandr Fuchs, CSc., MUDr. Miroslava Hornychová, CSc., MUDr. Zdeňka Trávníčková, CSc., Jiřina Fridrichovská, prom. chem.). Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.