

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Screen Wash Concentrate - Frost protection to -70°C - 1L

Creation date 18. March 2019

Revision date Version 1.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1. Product identifier** Screen Wash Concentrate - Frost protection to -70°C - 1L

Substance / mixture mixture Mumber G 052164M2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use Cleaning agent.

Mixture uses advised against

The product should not be used in ways other then those

referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name ŠKODA AUTO a.s.

Address tř. Václava Klementa 869, Mladá Boleslav II, 293 01

Czech Republic CZ00177041 +420 326 811 111

Phone +420 326 811 111
E-mail msds@skoda-auto.cz
Web address www.skoda-auto.cz

Competent person responsible for the safety data sheet

Name Ing. Tadeáš Narovec

E-mail tadeas.narovec@skoda-auto.cz

1.4. Emergency telephone number

VAT Reg No

National Health Service (NHS) 111

National poisoning information centre Scotland, NHS 24: 111

#### **SECTION 2: Hazards identification**

#### 2.1. Substance or mixture classification

#### Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Flam. Liq. 2, H225 Eye Irrit. 2, H319

Full text of all classifications and hazard statements is given in the section 16.

#### Most serious adverse physico-chemical effects

Highly flammable liquid and vapour.

#### Most serious adverse effects on human health and the environment

Causes serious eye irritation.

#### 2.2. Label elements

#### Hazard pictogram





#### Signal word

Danger

## **Hazard statements**

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

#### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.



according to Regulation (EC) No 1907/2006 (REACH) as amended

<b>Screen Wash Concentrate - Frost</b>	protection to -70°C - 1L
----------------------------------------	--------------------------

				· <b>-</b>
Creation date	18. March 2019			
Revision date		Version	1.0	
P210	Keep away from heat, he smoking.	ot surfaces, sparks, open flame	es and other ignition so	urces. No
P233	Keep container tightly cl	osed.		
P264	Wash hands and expose	d parts of the body thoroughly	after handling.	
P280	Wear eye protection.			
P303+P361+P353	IF ON SKIN (or hair): Ta	ke off immediately all contami	nated clothing. Rinse sk	(in with

water.

If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to by handing over to the person authorized to dispose of

waste or by returning to the supplier.

#### Supplemental information

<5 % anionic surfactants

#### Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger.

#### 2.3. Other hazards

P337+P313

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 Registration number: 01-2119457610-43	ethanol	≥70-<90	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 50 %	1
Index: 603-027-00-1 CAS: 107-21-1 EC: 203-473-3 Registration number: 01-2119456816-28	ethanediol	≥1-<10	Acute Tox. 4, H302 STOT RE 2, H373	1
CAS: 3734-33-6 EC: 223-095-2 Registration number: 01-2120102843-65- xxxx	Denatonium benzoate	≥0,1-<1	Acute Tox. 4, H302 Eye Dam. 1, H318 Acute Tox. 1, H330	2

#### Notes

- 1 Substance for which exposure limits of Community for working environment exist.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

#### Inhalation

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

ŠKODA

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Screen Wash Concentrate - Frost protection to -70°C - 1L

Creation date

18. March 2019

Revision date Version 1.0

#### Skin contact

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water/shower.

#### Eye contact

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

#### **Ingestion**

DO NOT INDUCE VOMITING - even the inducted vomiting can cause complications as in case of detergents and other foaming substances.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### Inhalation

Not expected.

#### Skin contact

Not expected.

#### Eye contact

Causes serious eye irritation.

#### Ingestion

Irritation, nausea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Highly flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Screen Wash Concentrate - Frost protection to -70°C - 1L

Creation date 18. March 2019

Revision date Version 1.0

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Prevent contact with skin and eyes. No smoking. Use only non-sparking tools. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take precautionary measures against static discharge.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep container tightly closed. Keep cool.

#### The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

#### 7.3. Specific end use(s)

not available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### **European Union**

Substance name (component)	Туре	Time of exposure	Value	Note	Source
	OEL	8 hours	52 mg/m <sup>3</sup>		
	OEL	8 hours	20 ppm		
	OEL	Short-term	104 mg/m <sup>3</sup>		EU limits
athanadial (CAS, 107, 21, 1)	OEL	Short-term	40 ppm		
ethanediol (CAS: 107-21-1)	OEL	8 hours	52 mg/m <sup>3</sup>	skin	
	OEL	8 hours	20 ppm	skin	
	OEL	Short-term	104 mg/m <sup>3</sup>	skin	
	OEL	Short-term	40 ppm	skin	

#### **United Kingdom of Great Britain and Northern Ireland**

Substance name (component)	Туре	Time of exposure	Value	Note	Source
othanal (CAS, 64, 17, E)	WEL	8 hours	1920 mg/m <sup>3</sup>		Costis
ethanol (CAS: 64-17-5)	WEL	8 hours	1000 ppm		Gestis
	WEL	8 hours	10 mg/m <sup>3</sup>		Gestis
ethanediol (CAS: 107-21-1)	WEL	8 hours	10 mg/m³	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity., Particulates only	CDD
	WEL	8 hours	20 ppm	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity., Vapour	- GBR



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Screen Wash Concentrate - Frost protection to -70°C - 1L

Creation date 18. March 2019

Revision date Version 1.0

## **United Kingdom of Great Britain and Northern Ireland**

Substance name (component)	Туре	Time of exposure	Value	Note	Source
	WEL 8 h		52 mg/m³	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity., Vapour	
ethanediol (CAS: 107-21-1)	WEL	15 minutes	104 mg/m³	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity., Vapour	GBR
WEL		15 minutes	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity., Vapour		

#### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles.

#### Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

#### **Respiratory protection**

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

#### Thermal hazard

Not available.

#### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance liquid

Physical state liquid at 20°C

color blue

Odour characteristic
Odour threshold data not available
pH 7 (undiluted)
Melting point/freezing point data not available

Initial boiling point and boiling range 78 °C Flash point 19 °C

Evaporation rate data not available

Flammability (solid, gas) Highly flammable liquid and vapour.

Upper/lower flammability or explosive limits

flammability limits

bottom 3.5 % upper 15 % explosive limits

Page 5/13



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Screen Wash Concentrate - Frost protection to -70°C - 1L

Creation date 18. March 2019

Revision date Version 1.0

bottom 3.5 % upper 15 %

Vapour pressure 57 hPa at 20 °C
Vapour density data not available
Relative density data not available

Solubility(ies)

solubility in water miscible

solubility in fats data not available
Partition coefficient: n-octanol/water data not available

Auto-ignition temperature 410 °C

Decomposition temperature data not available Viscosity data not available

Explosive properties

The product does not have explosive properties but can be explosive when blanded with air.

explosive when blended with air.

Oxidising properties The product has no oxidizing properties.

data not available

9.2. Other information

Density 0.838 g/cm³ at 20 °C ignition temperature data not available

content of organic solvents (VOC) 89.52 %

none

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

#### 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Unknown.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

#### **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

No toxicological data is available for the mixture.

#### **Acute toxicity**

Based on available data the classification criteria are not met.

#### ethanediol

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Oral			500 mg/kg			
Inhalation	LC50		>2.5 mg/l	6 hour	Rat (Rattus norvegicus)	
Dermal	LD <sub>50</sub>	OECD 402	>3500 mg/kg		Mouse	



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Screen Wash Concentrate - Frost protection to -70°C - 1L

Creation date

18. March 2019

Revision date Version 1.0

#### ethanol

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Inhalation (vapor)	LC50		124.7 mg/l	4 hour	Rat	
Oral	LD Lo		7000 mg/kg bw		Rat	
Inhalation (vapor)	LC50		116.9 mg/l	4 hour	Rat	
Inhalation (vapor)	LC50		133.8 mg/l	4 hour	Rat	

#### Skin corrosion/irritation

Based on available data the classification criteria are not met.

#### ethanediol

Route of exposure	Result	Time of exposure	Species
Dermal	Not irritating		Rabbit

#### Serious eye damage/irritation

Causes serious eye irritation.

#### ethanediol

Route of exposure	Result	Time of exposure	Species
Eye	Not irritating		Rabbit

#### ethanol

Route of exposure	Result	Time of exposure	Species
	Irritating		Rabbit

## Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

#### ethanediol

Route of exposure	Result	Time of exposure	Species	Sex
Dermal	Negative		Guinea-pig (Cavia aperea f. porcellus)	

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.

#### ethanediol

Result	Method	Time of exposure	Specific target organ	Species	Sex
Negative	OECD 471				

### Carcinogenicity

Based on available data the classification criteria are not met.

#### ethanediol

Route of exposure	Parameter	Value	Time of exposure	Result	Species	Sex
Oral			2 year	Negative	Mouse	

#### ethanol

Route of exposure	Parameter	Value	Time of exposure	Result	Species	Sex
Oral				Indeterminate	Rat	



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Screen Wash Concentrate - Frost protection to -70°C - 1L

Creation date

18. March 2019

Revision date Version 1.0

#### Reproductive toxicity

Based on available data the classification criteria are not met.

#### ethanol

	Parameter	Value	Result	Species	Sex
Effects on fertility	NOAEL	>16000 ppm	No effect	Rat	
	NOAEL	5200 mg/kg/24hour	Indeterminate	Rat	

#### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

#### ethanol

Route of exposure	Parameter	Value	Time of exposure	Specific target organ	Result	Species	Sex
Inhalation	LOAEL	2.6 mg/l	30 min	Nervous system	Drowsiness, Dizziness	Human	
Inhalation	LOAEL	9.4 mg/l		Lungs	Indeterminate	Human	

#### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

#### ethanediol

Route of exposure	Parameter	Value	Specific target organ	Result	Species	Sex
Oral		>10-100 mg/kg	Kidney			

## Repeated dose toxicity

#### ethanediol

Route of exposure	Parameter	Result	Method	Value	Time of exposure	Species	Sex
Oral	NOAEL			150 mg/kg	2 year	Rat (Rattus norvegicus)	
Dermal	NOAEL		OECD 410	2200-4400 mg/kg	4 week	Dog	

#### **Aspiration hazard**

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

## **Acute toxicity**

Data for the mixture are not available.

## ethanediol

Parameter	Method	Value	Time of exposure	Species	Environme nt	Determining method
LC50		72860 mg/l	96 hour	Fishes (Pimephales promelas)		
EC50	OECD 202	>100 mg/l	48 hour	Daphnia (Daphnia magna)		



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Screen Wash Concentrate - Frost protection to -70°C - 1L

Creation date

18. March 2019

Revision date Version 1.0

#### ethanediol

Parameter	Method	Value	Time of exposure	Species	Environme nt	Determining method
EC50		6500-13000 mg/l	96 hour	Algae (Pseudokirchnerie lla subcapitata)		

#### ethanol

Parameter	Method	Value	Time of exposure	Species	Environme nt	Determining method
EC 0		3.9 g/l	200 hour	Fishes		Experimentally
EC50		>10000 mg/l	24 hour	Daphnia		Experimentally
EC50		8800 mg/l	96 hour	Algae		Experimentally

#### **Chronic toxicity**

#### ethanediol

Parameter	Value	Time of exposure	Species	Environment	Determining method
NOEC	15380 mg/l	7 day	Fishes (Pimephales promelas)		
NOEC	8590 mg/l	7 day	Daphnia (Ceriodaphnia dubia)		

#### ethanol

Parameter	Value	Time of exposure	Species	Environment	Determining method
LC50	9248 mg/l	48 hour	Invertebrates		Experimentally
NOEC	250 mg/l	120 hour	Fishes (Oncorhynchus mykiss)		Experimentally
NOEC	1000 mg/l	120 hour	Fishes		Experimentally

#### 12.2. Persistence and degradability

#### **Biodegradability**

## ethanediol

Parameter	Method	Value	Time of exposure	Environment	Result
	OECD 301A	90-100 %	10 day		Easily biodegradable

The mixture is biodegradable.

## 12.3. Bioaccumulative potential

#### ethanediol

Parameter	Value	Time of exposure	Species	Environment	Surrounding temperature [°C]
BCF	10		Fishes (Leuciscus idus)		
Log Pow	-1.93				

Not available.

#### 12.4. Mobility in soil

Not available.

#### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Screen Wash Concentrate - Frost protection to -70°C - 1L

Creation date 18. March 2019

Revision date Version 1.0

#### 12.6. Other adverse effects

Not available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

07 06 04 other organic solvents, washing liquids and mother liquors

#### Packaging waste type code

15 01 10 packaging containing residues of or contaminated by dangerous substances

#### **SECTION 14: Transport information**

#### 14.1. UN number

UN 1170

#### 14.2. UN proper shipping name

**ETHANOL SOLUTION** 

#### 14.3. Transport hazard class(es)

3 Flammable liquids

#### 14.4. Packing group

III - substances presenting low danger

#### 14.5. Environmental hazards

No.

#### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not available

#### **Additional information**

Hazard identification No.

UN number Classification code

Safety signs

30 1170

(Kemler Code)

F1

## Air transport - ICAO/IATA

Packaging instructions passenger 355
Cargo packaging instructions 366

#### Marine transport - IMDG

EmS (emergency plan) F-E, S-D MFAG 305



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Screen Wash Concentrate - Frost protection to -70°C - 1L

Creation date 18. March 2019

Revision date Version 1.0

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.

#### Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

#### Denatonium benzoate

Restriction	Conditions of restriction
03	<ul> <li>1. Shall not be used in:         <ul> <li>ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,</li> <li>tricks and jokes,</li> </ul> </li> </ul>
	— games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
	2. Articles not complying with paragraph 1 shall not be placed on the market.
	<ul><li>3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:</li><li>— can be used as fuel in decorative oil lamps for supply to the general public, and,</li></ul>
	— present an aspiration hazard and are labelled with R65 or H304,
	4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
	5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
	(a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to lifethreatening lung damage";
	(b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage";
	(c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
	6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
	7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

#### 15.2. Chemical safety assessment

not available

#### **SECTION 16: Other information**

A list of standard risk phrases used in the safety data sheet

H225 Highly flammable liquid and vapour.



according to Regulation (EC) No 1907/2006 (REACH) as amended

<b>Screen Wash Concentrate - Frost</b>	protection to -70°C - 1L
----------------------------------------	--------------------------

Creation date	18. March 2019	
Revision date	Version 1.0	
H302	Harmful if swallowed.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H373	May cause damage to organs through prolonged or repeated exposure.	
Guidelines for saf	e handling used in the safety data sheet	
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.	
P233	Keep container tightly closed.	
P264	Wash hands and exposed parts of the body thoroughly after handling.	
P303+P361+P353	P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.	

### Wear eye protection. Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than

as per the Section 1.	The user is responsible for adherence to all related health protection regulations.
Key to abbreviations and acronyms used in the safety data sheet	
ADR	European agreement concerning the international carriage of dangerous goods by road

**BCF Bioconcentration Factor** CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and

mixtures

Derived no-effect level DNEL

Identification code for each substance listed in EINECS EC

Concentration of a substance when it is affected 50% of the population EC<sub>50</sub> **EINECS** European Inventory of Existing Commercial Chemical Substances

If eye irritation persists: Get medical advice/attention.

EmS Emergency plan EU European Union

P337+P313

P280

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying Dangerous

Chemicals

IC50 Concentration causing 50% blockade ICAO International Civil Aviation Organization **IMDG** International Maritime Dangerous Goods

INCI International Nomenclature of Cosmetic Ingredients ISO International Organization for Standardization **IUPAC** International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the population

LOAEC Lowest observed adverse effect concentration

LOAEL Lowest observed adverse effect level Octanol-water partition coefficient log Kow

MARPOL International Convention for the Prevention of Pollution From Ships

NOAEC No observed adverse effect concentration

NOAEL No observed adverse effect level NOFC No observed effect concentration

NOEL No observed effect level **OEL** Occupational Exposure Limits **PBT** Persistent, Bioaccumulative and Toxic **PNEC** Predicted no-effect concentration

ppm Parts per million



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Screen Wash Concentrate - Frost protection to -70°C - 1L

Creation date 18. March 2019
Revision date Version 1.0

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN Model

Regulations

UVCB Substances of unknown or variable composition, complex reaction products or biological

materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity
Eye Dam. Serious eye damage
Eye Irrit. Eye irritation
Flam. Liq. Flammable liquid

STOT RE Specific target organ toxicity - repeated exposure

#### **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### **Recommended restrictions of use**

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. First aid principles after the exposure to the chemicals (Zásady pro poskytování první pomoci při expozici chemickým látkám, doc. MUDr. Daniela Pelclová, CSc., MUDr. Alexandr Fuchs, CSc., MUDr. Miroslava Hornychová, CSc., MUDr. Zdeňka Trávníčková, CSc., Jiřina Fridrichovská, prom. chem.). Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### More information

Classification procedure - calculation method.

#### **Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.